


WITSML Product Certification Program

Q1	Product Name, Version, Description
A1	Radmond WITSML Enterprise Product (RWEPE) v1.1.0.121. This is WITSML v1.4.1.1 data store with backward compatibility support of v1.3.1.1
Q2	Vendor Name, Logo, Description
A2	PT Radmond Indonesia (Radmond) 
Q3	Product Availability (from, to)
A3	Nov 2013 - Present
Q4	Form Submitter Information
A4	Adnan Batara PT Radmond Indonesia Equity Tower, Suite 8F, SCBD Lot 9 Jl. Jend. Sudirman Kav. 51-52 Jakarta 12190, Indonesia Email: adnan.batara@radmond.com Mobile: +62 811 920 5720
Q5	WITSML Functional Coverage. This is described in light of definitions provided directly on the form of functions of Client products as producers and/or consumers, of Server products as Receiving, Delivering, and/or Managing Servers. Functionality is summarized by checking which of sixteen overall functions are exhibited by the product.
A5	Check all that apply. Explain limitations and/or special circumstances in the Comments area. Notes: <ul style="list-style-type: none"> • Functional coverage is organized according to five kinds of product functionality with respect to the WITSML Standards: two kinds of client functions and three kinds of server functions. • A product may exhibit multiple kinds of functionality. • The terms client and server are used here exclusively with respect to the WITSML Server API interfaces. Clients issue requests to servers. Servers receive and respond to requests from clients. • Behaviors for products that do not use the WITSML Server API are classified in an

analogous manner.

The five product classifications of WITSML functional coverage are:

Client Products

1. WITSML Producer Client -- a product that generates or otherwise obtains data that is formulated as WITSML object instances and sent to a WITSML Server to be incorporated in that server's data population. Examples of such products include products that pick up real-time data from sensor devices, format it, and send it to a server; and products that extract data from data stores, format it, and send it to a server.
2. WITSML Consumer Client -- a product that issues requests for data as queries of subscriptions to a WITSML Server and then receives data as query responses or subscription publications. Examples of such products include products that acquire data from a server, possibly reformat it, and delivery it to an application program or viewer utility.
- 1&2. Products the exhibit combined Producer and Consume Client functions may be application programs that operate directly on a WITSML Server, such as a mudlogging application or a pore pressure analysis application.

Server Products

3. WITSML Receiving Server -- a product that performs WITSML Server functions in general and, in particular, acquires data from external sources. Data acquisition may be through WITSML API interfaces or other mechanisms.
4. WITSML Delivering Server -- a product that performs WITSML Server functions in general and, in particular, delivers data to external destinations. Data delivery may be through WITSML API interfaces or other mechanisms.
5. WITSML Managing Server -- a product that performs WITSML Server functions in general and, in particular, supports requests from authorized client applications to augment (extend), modify, or delete (part or all) WITSML object instances.
- 3&4. The general understanding and expectation is that a product characterized as a WITSML Server supports both Receiving and Delivering Server functionality.
- 3&4&5. The addition of Managing Server functionality allows a WITSML Server product to do more than store and forward data, such as supporting data quality management client applications that help ensure the integrity and quality of data content in a Server data population.

General Functions

6. Virtually all products associated with the WITSML Standards will issue and/or process WITSML Server General Functions to determine the capabilities and version of a server product.
1. WITSML Producer Client A product that (generates and) sends WITSML object instances to a destination process:

	<p>1a <input checked="" type="checkbox"/> Sends to a WITSML Server using AddToStore interface 1b <input type="checkbox"/> Otherwise</p> <p>2. WITSML Consumer Client A product that requests and receives WITSML data from a source process:</p> <p>2a <input checked="" type="checkbox"/> Queries a WITSML Server using GetFromStore interface 2b <input type="checkbox"/> Subscribes to a WITSML Server using Publish interface 2c <input type="checkbox"/> Otherwise</p> <p>3. WITSML Receiving Server A product that performs the WITSML Server interfaces and receives data from source processes:</p> <p>3a <input checked="" type="checkbox"/> Receives WITSML object instances via AddToStore interface 3b <input type="checkbox"/> Otherwise receives WITSML object instances 3c <input type="checkbox"/> Receives non-WITSML form data treated as if it were WITSML object instances or a virtual equivalent</p> <p>4. WITSML Delivering Server A product that performs the WITSML Server interfaces and delivers data to destination processes:</p> <p>4a <input checked="" type="checkbox"/> Delivers WITSML data in response to queries via GetFromStore interface 4b <input type="checkbox"/> Publishes WITSML data in response to subscriptions via the Publish interface 4c <input type="checkbox"/> Otherwise delivers WITSML data 4d <input type="checkbox"/> Delivers non-WITSML form data derived from WITSML object instances or a virtual equivalent</p> <p>5. WITSML Managing Server A product that performs the WITSML Server interfaces and manages (augments, changes, deletes portions, or deletes entirely) WITSML object instances or a virtual equivalent:</p> <p>5a <input checked="" type="checkbox"/> Processes modification requests via AddToStore, UpdateInStore, DeleteFromStore interfaces 5b <input type="checkbox"/> Otherwise processes modification requests</p> <p>6. WITSML General Functions A product that issues general WITSML Server interface requests to a WITSML Server:</p> <p>6a <input checked="" type="checkbox"/> Issues GetVersion and/or GetCapabilities A product that performs the general WITSML Server interfaces: 6b <input checked="" type="checkbox"/> Processes GetVersion and/or GetCapabilities</p>
Q6	<p>WITSML Data Coverage. This is described by indicating for each of twenty types of data whether the data is Delivered and/or Received by the product. Provision for additional data type support is given. Special limitations between Functions and Data must be explained.</p>
A6	<p>Mark D for Deliver and R for Receive, as applicable. If all functions do not apply, note either</p>

	<p>functions supported or functions not-supported, e.g. supported by 1a. Explain other limitations or special cases in the Comments area.</p> <p>[_X_] Realtime (Data object does not exist in v1.4.1.1)</p> <p>[_DR_] Well</p> <p>[_DR_] Wellbore</p> <p>[_DR_] Log & WellLog</p> <p>[_DR_] Trajectory & Traj. Stn.</p> <p>[_DR_] Message</p> <p>[_DR_] Mud Log</p> <p>[_DR_] Rig</p> <p>[_DR_] Survey Program</p> <p>[_DR_] Target</p> <p>[_DR_] Fluids Report</p> <p>[_DR_] Operations Report</p> <p>[_DR_] Risk</p> <p>[_DR_] Formation Marker</p> <p>[_DR_] Conventional Core</p> <p>[_DR_] Sidewall Core</p> <p>[_DR_] Cement Job</p> <p>[_DR_] Tubular</p> <p>[_DR_] BHA Run</p> <p>[_DR_] WB Geometry (Wellbore Geometry)</p> <p>[_DR_] Other, specify: The server is native to v1.4.1.1. Backward compatibility to v1.3.1.1 is provided via Energistics XSLT transform between v1.3.1.1 and v1.4.1.1 implementation.</p>
Q7	Additional Information (optional)
A7	
Q8	Form Submission Date.
A8	19 June 2015